



General Certificate of Secondary Education
2017–2018

Double Award Science
Physics

Unit P1
Higher Tier

[GDW32]

WEDNESDAY 23 MAY, AFTERNOON

MARK
SCHEME

General Marking Instructions

Introduction

Mark schemes are published to assist teachers and students in their preparation for examinations. Through the mark schemes teachers and students will be able to see what examiners are looking for in response to questions and exactly where the marks have been awarded. The publishing of the mark schemes may help to show that examiners are not concerned about finding out what a student does not know but rather with rewarding students for what they do know.

The Purpose of Mark Schemes

Examination papers are set and revised by teams of examiners and revisers appointed by the Council. The teams of examiners and revisers include experienced teachers who are familiar with the level and standards expected of students in schools and colleges.

The job of the examiners is to set the questions and the mark schemes; and the job of the revisers is to review the questions and mark schemes commenting on a large range of issues about which they must be satisfied before the question papers and mark schemes are finalised.

The questions and the mark schemes are developed in association with each other so that the issues of differentiation and positive achievement can be addressed right from the start. Mark schemes, therefore, are regarded as part of an integral process which begins with the setting of questions and ends with the marking of the examination.

The main purpose of the mark scheme is to provide a uniform basis for the marking process so that all the markers are following exactly the same instructions and making the same judgements in so far as this is possible. Before marking begins a standardising meeting is held where all the markers are briefed using the mark scheme and samples of the students' work in the form of scripts. Consideration is also given at this stage to any comments on the operational papers received from teachers and their organisations. During this meeting, and up to and including the end of the marking, there is provision for amendments to be made to the mark scheme. What is published represents this final form of the mark scheme.

It is important to recognise that in some cases there may well be other correct responses which are equally acceptable to those published: the mark scheme can only cover those responses which emerged in the examination. There may also be instances where certain judgements may have to be left to the experience of the examiner, for example, where there is no absolute correct response – all teachers will be familiar with making such judgements.

- 1 (a) Mass [1] atomic [1] [2]
 (b) Unstable [1] alpha [1] beta (either order) [1] gamma [1] α, β, γ [4]
 (c) $8400 \rightarrow 4200$ [1]
 $8400 \rightarrow 4200 \rightarrow 2100 \rightarrow 1050$ [1]
 $t_{1/2} = 30$ [1] (mins) [3]
- 2 proton [1] (threshold) in nucleus [1]
 neutron [1] (threshold) in nucleus [1]
 electron [1] (threshold) in orbit/in shell [1]

	Response	Mark
A	Candidates describe in detail at least 5 of the above points using good spelling, punctuation and grammar. The form and style are of a high standard and specialist terms are used appropriately.	[5]–[6]
B	Candidates describe in detail 3 or 4 of the above points using satisfactory spelling, punctuation and grammar. The form and style are of a satisfactory standard and they have made some use of specialist terms.	[3]–[4]
C	Candidates describe 1 or 2 of the above points. The spelling, punctuation and grammar is limited. The form and style are of a limited standard and there is no use of specialist terms.	[1]–[2]
D	Response not worthy of credit.	[0]

- [6]
- 3 (a) $W = F \times d$ [1]
 $= 9 \times 600$ [1]
 $= 5400$ [1] (J) [3]

(b) $P = \frac{W}{t}$ [1]
 $= \frac{72\,000}{900}$ [1]
 $= 80$ [1] (W) [4]

- 4 (i) Pressure is reduced [1]
 larger area [1] [2]
- (ii) $P = \frac{F}{A}$ [1] or $P = \frac{W}{A}$
 $1800 = \frac{F}{0.5}$ [1]
 $W = 900$ [1] (N) [3]

AVAILABLE
MARKS

9

6

7

5

			AVAILABLE MARKS
5	(a) $av \text{ vel} = \frac{u + v}{2}$ [1]		
	$0.14 = \frac{u}{2}$ [1]		
	$u = 0.28 \text{ (m/s)}$ [1]	[3]	
(b)	(i) $a = \frac{v - u}{t}$ [1]		
	$= \frac{(0 - 0.4)}{4}$ [1]		
	$= - [1] 0.1 [1] \text{ (m/s}^2\text{)}$	[4]	
	(ii) Area under line	[1]	8
6	(i) $\text{density} = \frac{\text{mass}}{\text{volume}}$ [1]		
	$= \frac{0.8}{400}$ [2]		
	$= 0.002 [1] \text{ g/cm}^3 [1]$	[5]	
	(ii) Decreases/smaller/reduced	[1]	6
7	(i) $F = ma$ [1]		
	$1200 [1] = m \times 1.2 [1]$		
	$m = 1000 \text{ (kg)} [1]$	[4]	
	(ii) Increases [1]		
	resultant force increases [1]	[2]	
	(iii) Backwards/to the left [1]	[1]	7

			AVAILABLE MARKS
8	(a) The extension of a spring is directly proportional to the force applied [1] provided that the limit of proportionality is not exceeded [1] [2] (b) $F = ke$ [1] $0.5 [1] = k \times 2.5 [1]$ $k = 0.2 [1] \text{ N/cm [1]}$ [5] (c) (i) A [1] (ii) C [1] (iii) A [1]		10
9	(i) deuterium or tritium [1] from seawater [1] helium [1] no CO_2/greenhouse gases [1] global warming [4] (ii) four million times as much or 4×10^6 [1] (iii) Containment difficulty/attaining high temp [1]		6
10	$E_k = \frac{1}{2} mv^2$ [1] $= 0.5 \times 0.045 \times 20^2$ [1] $= 9 \text{ (J) [1]}$ $E_p \text{ or } mgh = 3.5$ [1] $h = \frac{3.5}{0.045 \times 10}$ [1] $= 7.8 \text{ (m) [1]}$	[6]	6
Total			70